

Appln. No. 10/760,322  
Filing Date: January 16, 2004  
Supp. Prel. Amdt. dated May 15, 2006

**AMENDMENTS TO THE CLAIMS**

**Listing of Claims:**

Claims 1-21 (Canceled).

Claim 22. (Previously Presented) A phone supporting voice communication via a wireless packet network, the phone comprising:

- at least one converter for converting a first voice stream into outgoing digital voice data;
- at least one processor for processing outgoing digital voice data to produce packets for transmission via the wireless packet network;
- a radio transmitter for transmitting the packets for transmission via the wireless packet network;
- a radio receiver for receiving packets via the wireless packet network;
- the at least one processor for selectively processing the packets received via the wireless packet network to produce incoming digital voice data; and
- the at least one converter for converting the incoming digital voice data to produce a second voice stream.

Claim 23. (Previously Presented) The phone of claim 22 further comprising:

- at least one interface for accepting input from a user; and
- the at least one interface for providing feedback to a user.

Claim 24. (Previously Presented) The phone of claim 23 wherein the at least one interface comprises a keypad.

Claim 25. (Previously Presented) The phone of claim 23 wherein the at least one interface comprises a display.

Appln. No. 10/760,322  
Filing Date: January 16, 2004  
Supp. Prel. Amdt. dated May 15, 2006

Claim 26. (Previously Presented) The phone of claim 22 further comprising:  
a handset having a microphone for transducing sound into the first voice stream, and a transducer for converting the second voice stream into sound.

Claim 27. (Previously Presented) The phone of claim 22 wherein the at least one processor buffers incoming digital voice data for an adjustable amount of time to avoid the occurrence of a gap in the second voice stream.

Claim 28. (Previously Presented) The phone of claim 27 wherein the adjustable amount of time is based upon a propagation delay.

Claim 29. (Previously Presented) The phone of claim 27 wherein the adjustable amount of time is based upon a test packet.

Claim 30. (Previously Presented) The phone of claim 22 wherein the phone transmits and receives packets comprising digital data not related to the establishment or receipt of a voice call.

Claim 31. (Previously Presented) The phone of claim 22 wherein the wireless packet network communicates using an Internet protocol (IP).

Claim 32. (Previously Presented) The phone of claim 31 wherein the Internet protocol is the transmission control protocol (TCP)/Internet protocol (IP).

Claim 33. (Previously Presented) The phone of claim 22 wherein the wireless packet network communicates at a frequency of approximately 2.4 gigahertz.

Appln. No. 10/760,322  
Filing Date: January 16, 2004  
Supp. Prel. Amdt. dated May 15, 2006

Claim 34. (Previously Presented) The phone of claim 22 wherein the wireless packet network communicates using a direct sequence spread spectrum technique.

Claim 35. (Previously Presented) The phone of claim 22 wherein the wireless packet network communicates using a frequency hopping spread spectrum technique.

Claim 36. (Previously Presented) The phone of claim 22 further comprising:  
an interface for receiving information representing an image for transmission via the wireless packet network.

Claim 37. (Previously Presented) The phone of claim 22 further comprising:  
a circuit card interface for accepting a removable circuit card.

Claim 38. (Previously Presented) The phone of claim 37 wherein the removable circuit card comprises a wired network interface card.

Claim 39. (Previously Presented) The phone of claim 37 wherein the removable circuit card interface is compatible with the Personal Computer Memory Card Interface Association (PCMCIA) standard.

Claim 40. (Previously Presented) The phone of claim 22 wherein the at least one processor monitors the first voice stream for a lack of speech for a minimum period of time.

Claim 41. (Previously Presented) The phone of claim 40 wherein the minimum period of time is approximately 200 milliseconds.

Appln. No. 10/760,322  
Filing Date: January 16, 2004  
Supp. Prel. Amdt. dated May 15, 2006

Claim 42. (Previously Presented) The phone of claim 40 wherein transmission of packets containing digital voice data is interrupted when a lack of speech for the minimum period of time is detected.

Claim 43. (Previously Presented) The phone of claim 42 wherein an indication of a change in speech activity is transmitted following the detection of a lack of speech for the minimum period of time.

Claim 44. (Previously Presented) The phone of claim 43 wherein the indication is a group identifier.

Claim 45. (Previously Presented) A phone circuit supporting voice communication via a wireless packet network, the circuit comprising:

at least one converter for converting a first voice stream into a first digital representation of sound;

at least one processor for processing the first digital representation of sound to produce packets for transmission via the wireless packet network;

at least one interface for communicatively coupling the packets for transmission to a transmitter compatible with the wireless packet network;

the at least one interface for communicatively coupling packets from a receiver compatible with the wireless packet network;

the at least one processor for processing the received packets to produce a second digital representation of sound; and

the at least one converter for converting the second digital representation of sound into a second voice stream.

Claim 46. (Previously Presented) The circuit of claim 45 wherein the wireless packet network operates at a frequency of approximately 2.4 gigahertz.

Appln. No. 10/760,322  
Filing Date: January 16, 2004  
Supp. Prel. Amdt. dated May 15, 2006

Claim 47. (Previously Presented) The circuit of claim 45 wherein the wireless packet network operates using an Internet protocol (IP).

Claim 48. (Previously Presented) The circuit of claim 47 wherein the Internet protocol is the transmission control protocol (TCP)/Internet protocol (IP).

Claim 49. (Previously Presented) The circuit of claim 45 further comprising:  
at least one interface for receiving input from a user; and  
the at least one interface for providing feedback to a user.

Claim 50. (Previously Presented) The circuit of claim 45 further comprising:  
an interface for receiving information representing an image for transmission via the wireless packet network.

Claim 51. (Previously Presented) The circuit of claim 45 further comprising:  
a circuit card interface for accepting a removable circuit card.

Claim 52. (Previously Presented) The circuit of claim 51 wherein the removable circuit card comprises a wired network interface card.

Claim 53. (Previously Presented) The circuit of claim 51 wherein the removable circuit card interface is compatible with the Personal Computer Memory Card Interface Association (PCMCIA) standard.

Appln. No. 10/760,322

Filing Date: January 16, 2004

Supp. Prel. Amdt. dated May 15, 2006

Claim 54. (Previously Presented) A method of operating a phone supporting voice communication via a wireless packet network, the method comprising:

converting a first voice stream into outgoing digital voice data;

processing outgoing digital voice data to produce packets for transmission via the wireless packet network;

transmitting the packets for transmission via the wireless packet network;

receiving packets via the wireless packet network;

selectively processing the packets received via the wireless packet network to produce incoming digital voice data; and

converting the incoming digital voice data to produce a second voice stream.

Claim 55. (Previously Presented) The method of claim 54 further comprising:

accepting input from a user; and

providing feedback to a user.

Claim 56. (Previously Presented) The method of claim 54 further comprising:

transducing sound into the first voice stream; and

converting the second voice stream into sound.

Claim 57. (Previously Presented) The method of claim 54 wherein processing outgoing digital voice data comprises buffering incoming digital voice data for an adjustable amount of time to avoid the occurrence of a gap in the second voice stream.

Claim 58. (Previously Presented) The method of claim 54 wherein the adjustable amount of time is based upon a propagation delay.

Claim 59. (Previously Presented) The method of claim 54 wherein the transmitted and received packets comprise digital data not related to the establishment or receipt of a voice call.

Appln. No. 10/760,322  
Filing Date: January 16, 2004  
Supp. Prel. Amdt. dated May 15, 2006

Claim 60. (Previously Presented) The method of claim 54 wherein the wireless packet network communicates using an Internet protocol (IP).

Claim 61. (Previously Presented) The method of claim 60 wherein the Internet protocol is the transmission control protocol (TCP)/Internet protocol (IP).

Claim 62. (Previously Presented) The method of claim 54 wherein the wireless packet network communicates at a frequency of approximately 2.4 gigahertz.

Claim 63. (Previously Presented) The method of claim 54 wherein the wireless packet network communicates using a direct sequence spread spectrum technique.

Claim 64. (Previously Presented) The method of claim 54 wherein the wireless packet network communicates using a frequency hopping spread spectrum technique.

Claim 65. (Previously Presented) The method of claim 54 further comprising:  
receiving information representing an image for transmission via the wireless packet network.

Claim 66. (Previously Presented) The method of claim 54 further comprising:  
accepting a removable circuit card.

Claim 67. (Previously Presented) The method of claim 66 wherein the removable circuit card comprises a wired network interface card.



Appln. No. 10/760,322  
Filing Date: January 16, 2004  
Supp. Prel. Amdt. dated May 15, 2006

Claim 68. (Previously Presented) The method of claim 66 wherein the removable circuit card is compatible with the Personal Computer Memory Card Interface Association (PCMCIA) standard.

Claim 69. (Previously Presented) The method of claim 54 further comprising:  
monitoring the first voice stream for a lack of speech for a minimum period of time.

Claim 70. (Previously Presented) The method of claim 69 wherein the minimum period of time is approximately 200 milliseconds.

Claim 71. (Previously Presented) The method of claim 69 further comprising:  
interrupting transmission of packets containing digital voice data when a lack of speech for the minimum period of time is detected; and  
refraining from interrupting transmission of packets containing digital voice data when a lack of speech for the minimum period of time is not detected

Claim 72. (Previously Presented) The method of claim 69 further comprising:  
transmitting an indication of a change in speech activity following the detection of a lack of speech for the minimum period of time.

Claim 73. (Previously Presented) The method of claim 72 wherein the indication is a group identifier.